



**OPEN KIDNEY STONE SURGICAL
PROCEDURE
(PYELOLITHOTOMY/NEPHROLITHOTOMY)
CONSENT FORM**



DOCUMENT NO	RB.FR. 146	FIRST PUBLISHING DATE	01.02.2010	REVISION DATE	06.02.2018	REVISION NO	1	PAGE NO	1/5
--------------------	----------------------	------------------------------	------------	----------------------	------------	--------------------	---	----------------	-----

Revision Cause: Document content has been modified.

**PATIENT'S
Patient File**

No:.....
Name, Surname :.....
Birthdate :.....
Sex :.....
Division :.....
Consent Date :.....

Dear patient / deputy legal representative;
You have the right to be informed on the medical, surgical and diagnosis related procedures about your/your patient's health status and recommended for you/your patient, and their alternatives, benefits, risks and even possible damages that could take place, and to refuse or to accept all or part of these, or to stop the procedures to be conducted in any phase.
This form, which we ask you to read and understand, has been prepared to inform you on determining whether you will give consent for the applications or not, and to obtain your permission, and not to frighten you or scare you away from these medical applications.

INFORMATION

PREDIAGNOSIS :.....
PLANNED TREATMENT / ESTIMATED DURATION:.....

INFORMATION ABOUT THE PROCEDURE

The operation is carried out under general anaesthetic. The procedure includes kidney stone removal with open surgery. The operation performed through a 10-15 cm incision, parallel to ribs, 2-3 cm below the rib cage on the anterior part of body. In the beginning of operation, a catheter inside bladder is placed, and, after the operation, a drain inside the operative field is placed

ALTERNATIVE TREATMENTS

POSSIBLE COMPLICATIONS REGARDING PROCEDURE

1. Depending on the position of your body during the operation, muscle aches may occur after the operation (35%).
2. Bleeding may occur in large kidney vessels. In this case, another surgical intervention and blood transfusion may be required (5-7%).



**OPEN KIDNEY STONE SURGICAL
PROCEDURE
(PYEOLITHOTOMY/NEPHROLITHOTOMY)
CONSENT FORM**



DOCUMENT NO	RB.FR. 146	FIRST PUBLISHING DATE	01.02.2010	REVISION DATE	06.02.2018	REVISION NO	1	PAGE NO	2/5
--------------------	----------------------	------------------------------	------------	----------------------	------------	--------------------	---	----------------	-----

3. In case of the kidney is stuck to intestines, this part of intestines may be removed if necessary. This situation may lead to the surgical scar to remain longer, to the necessity of temporary or permanent ileostomy or colostomy, or to longer hospital stay.
4. Hidden bleeding may occur inside abdomen (0,2 – 1%). In this case, fluid treatment or another surgical intervention may be required. If the bleeding does not stop or cannot be controlled/stopped, another surgical intervention may be required.
5. Infectious complications, such as suppuration inside abdomen, may take place (0,3 –0,8%). In this case another surgery to tap suppuration or antibiotic treatment may be necessary.
6. Especially for male patients, urinary catheter may be necessary since, after operation, the bladder cannot be excreted easily (1%). Normally, this situation is temporary and lasts until bladder functions get back into normal.
7. Intestinal injury, which leads to intestinal leakage (0,1%), may occur. This situation may lead to the surgical scar to remain longer, to the necessity of temporary or permanent ileostomy or colostomy, or to longer hospital stay.
8. Intestinal mobility may slow down or stop after surgery. In this case, which leads to intestinal swelling or vomiting, liquid or antibiotic treatment or even another surgical intervention may be required.
9. In some patients, wound healing may be abnormal, in this case the wound opening may thicken, become painful or rash may take place. Muscle weakness and therefore an appearance similar to hernia may develop as a result of nervous incision during operation (1,3%).
10. Fascial sutures on operative field may open (come loose), as a result, short or long term herniation may occur.
11. Partial or complete wound dehiscence may take place especially in overweight patients.
12. Postoperative intestinal adhesion may occur (0,3-0,5%). The complication may develop in short term or long term, surgical treatment may be required.
13. Kidney failure may develop. Dialysis need may occur.

INFORMATION ABOUT THE SUCCESS RATE

INFORMATION ABOUT THE POSSIBLE CONSEQUENCES IN CASE OF REFUSAL OF PROCEDURE

(IF MEDICINE USE IS PLANNED) INFORMATION ABOUT OF SPECIFIC MEDICINE AND ITS FEATURES



**OPEN KIDNEY STONE SURGICAL
PROCEDURE
(PYELOLITHOTOMY/NEPHROLITHOTOMY)
CONSENT FORM**



DOCUMENT NO	RB.FR. 146	FIRST PUBLISHING DATE	01.02.2010	REVISION DATE	06.02.2018	REVISION NO	1	PAGE NO	3/5
--------------------	----------------------	------------------------------	------------	----------------------	------------	--------------------	---	----------------	-----

IMPORTANT LIFESTYLE SUGGESTIONS FOR PATIENT'S HEALTH

ACCESS TO MEDICAL ASSISTANCE ON THE SAME SUBJECT WHEN NECESSARY

According to health legislation, every individual has the freedom to choose hospital and physician. You can reach medical assistance in public or private health organizations about your disease within the scope of your Social Security. When necessary, you can contact our hospital 24 hours a day, or you can get medical assistance by contacting the doctor or another specialist who performed the surgery with the phone number **0090 (222) 335 0 335**. In case of emergency, you are able to get medical assistance at a health care facility near you or via an emergency call center (112).

PATIENT'S QUESTIONS (IF ANY)

CONSENT

I have been told all the results I might have had if I am not treated or if I refused the treatment, and, in respect of all the procedures to be performed while diagnosis and treatment, I have been explained plainly and explicitly that I may encounter with infection, blood coagulation in veins and lungs, bleeding, allergic reaction or oedema at or far from surgical area, epileptic seizure, temporary or permanent organ/system functioning failure, death, including anaemia and meningitis.

We know the other risks may be side effects, such as hypokinesia in section area, permanent scar, body deformation as a result of bone subtraction/addition, cerebral fluid leakage from surgical area or needle site, headache or longterm/chronic ache, temporary or permanent voice loss causing from vocal cord palsy, temporary or permanent function loss in organs such as face, brow, tooth, eye or hearing impairment, swallowing impairment and vision loss and loss of bladder and stool control, changes in personality, become disabled due to tissue or organ damage and occurrence of need to use medicine/hormones for a lifetime, short or longterm ache due to position during the operation, and narcotism; and hereby approve these mentioned risks.

I have read the above given information and have been informed by the undersigned doctor. I have been informed about the purpose, risks and complications of the medical or surgical intervention to be performed.

Annex



**OPEN KIDNEY STONE SURGICAL
PROCEDURE
(PYELOLITHOTOMY/NEPHROLITHOTOMY)
CONSENT FORM**



DOCUMENT NO	RB.FR. 146	FIRST PUBLISHING DATE	01.02.2010	REVISION DATE	06.02.2018	REVISION NO	1	PAGE NO	4/5
--------------------	----------------------	------------------------------	------------	----------------------	------------	--------------------	---	----------------	-----

I approve this process consciously, without further explanation and under no pressure. I hereby authorize the person named with giving approval and being informed about my treatment if I lose my consciousness by some means or another and am not able to give approval during the operations related to my treatment.

.....(Please write "I acknowledge that I have read and understood above" in your handwriting)

PATIENT

Time: Signature: Date:.....

Name Surname (handwriting):.....

Patient's father/mother/legal representative*

Signature:

Date / Time:

Name Surname (handwriting):.....

*The person whose name is mentioned in the last paragraph should sign.

I have made adequate and satisfactory explanation to aforementioned patient / patient relative about the disease, operation to be performed, the reason and benefits of the operation, necessary postoperative care and probable risks, type of anaesthesia to be applied, if necessary, and risks and complications regarding anaesthesia. The patient / patient relative has signed and approved this form with their own consent that they have been adequately informed on the operation.

DOCTOR

Date / Time: Signature:

Name Surname:.....

IF THE PATIENT HAS SPEECH / LANGUAGE DIFFICULTIES:

I have interpreted the statements made by the doctor to the patient. In my opinion, the information I have interpreted is understood by the patient.

INTERPRETER'S:

Date / Time: Signature:



**OPEN KIDNEY STONE SURGICAL
PROCEDURE
(PYEOLITHOTOMY/NEPHROLITHOTOMY)
CONSENT FORM**



DOCUMENT NO	RB.FR. 146	FIRST PUBLISHING DATE	01.02.2010	REVISION DATE	06.02.2018	REVISION NO	1	PAGE NO	5/5
--------------------	----------------------	------------------------------	------------	----------------------	------------	--------------------	---	----------------	-----

Name Surname (handwriting):.....

You can consult with Patient Services Directorate during the day and the Night Chief during the nights for all your complaints or any other issues you wish to address about medical applications.

*Legal Representative: The guardian for those under guardianship, the parents for minors, in cases where they do not have one of these, first degree lawful heirs. Signing this consent form does not abolish the patient's legal rights.