

Dr. F. Gürkan YEŞİL
Kalp Damar Cerrahisi Uzmanı

E-Mail Adresi : fahrigurkanyesil@gmail.com

Doğum Yeri & Tarihi : Ankara/1981
Çalışma Saatleri : Hafta İçi : 08:30-18:00
Hafta Sonu : 08:30-13:00 (Cumartesi)

EĞİTİM BİLGİLERİ VE KARIYERİ

Üniversite : Gülhane Askeri Tıp Akademisi
Ihtisas : Gülhane Askeri Tıp Akademisi

MESLEKİ DENEYİMİ

- 2005 – 2008: 2.Zırhlı Tugay Komutanlığı/İSTANBUL, Pratisyen Doktor
 - 2008 - 2009: 172.Zırhlı Tugay Komutanlığı, Silopi/Şırnak, Pratisyen Doktor
 - 2009 - 2010: 172.Zırhlı Tugay Komutanlığı, Silopi/Şırnak, Revir Baştabibi
 - 2015 - 2016: Etimesgut Asker Hastanesi, Kalp Damar Cerrahisi Uzmanı
- Kasım-Aralık 2016 : Diyarbakır Asker Hastanesi (Terörle Mücadele Kapsamında Kalp Damar Cerrahisi Uzman Tabip Görevlendirme, 2 ay)
- Mart 2016 : Şırnak Asker Hastanesi (Terörle Mücadele Kapsamında Kalp Damar Cerrahisi Uzman Tabip Görevlendirme, 21 gün)
- Temmuz 2016 : Hakkari Asker Hastanesi (Terörle Mücadele Kapsamında Kalp Damar Cerrahisi Uzman Tabip Görevlendirme, 7 gün)

TIBBİ İLGİ ALANLARI

- Koroner Arter Cerrahisi, Kalp Kapak Hastalıkları, Endovasküler Girişimler

ÜYE OLDUĞU DERNEKLER VE KURULUŞLAR

Uluslararası Dernekler:

Ulusal Dernekler:

- Türk Kalp Damar Cerrahisi Derneği

ARAŞTIRMA VE YAYINLARI

1. Yesil FG, Kurkluoglu M, Guler A, Sahin MA, Oz BS. A novel point for warfarin usage in ACCP Guidelines, 2012 and its importance for quality of anticoagulation. Commentary on the article by Dr. Ciurus et al. (Kardiochir Torakochir Pol 2015; 12 (4): 334-340). Kardiochirurgia i torakochirurgia Pol = Polish J cardio-thoracic Surg. 2016 Jun;13(2):192–3.
2. Guler A, Sahin MA, Gurkan Yesil F, Yildizoglu U, Demirkol S, Arslan M. Chronic Otitis Media Resulting in Aortic Valve Replacement: A Case Report. J Tehran Heart Cent. 2015 Apr 3;10(2):98–100.

3. Tavlasoglu M, Guler A, Yesil FG. Should sutureless aortic valve replacement be preferred only for decreasing aortic crossclamp time? *J Thorac Cardiovasc Surg.* 2014 May;147(5):1726–7.
4. Balta Ş, Balta İ, Demirkol S, Yeşil FG. Hypoplastic aorta in a patient with familial hypercholesterolemia. *Anadolu Kardiyol Derg.* 2013 Dec;13(8):E 46.
5. Balta S, Demirkol S, Arslan Z, Unlu M, Yesil FG, Celik T. Red cell distribution width may be related to the degree of coronary collateral circulation. *Clin Appl Thromb Hemost.* 2014 Jan;20(1):107.
6. Guler L, Guler A, Gokcinar D, Kirkluoglu M, Zorlu E, Yesil FG. Challenges in the design of drug therapy study on rats. *J Cardiothorac Vasc Anesth.* 2013 Oct;27(5):e65.
7. Güler A, Yeşil FG, Arslan Z, Şahin MA, Atilgan K. The vital role of Riolan's arcade as a mesenteric collateral vessel on lower extremity perfusion. *Turk J Gastroenterol.* 2012;23(6):830–1.
8. Aksoy Y, Eyi YE, Colakoglu K, Zorlu E, Yesil FG. Culture positivity for exact diagnosis of *Pseudomonas aeruginosa* endophthalmitis. *Arq Bras Oftalmol.* 76(2):133.
9. Fidancı MK, Kurkluoglu M, Guler A, Yesil FG, Balta S, Arslan Z. Is it possible to prevent acute kidney injury in patients who underwent contrast medium? *Angiology.* 2014 Mar;65(3):224.
10. Balta S, Demirkol S, Kucuk U, Arslan Z, Unlu M, Yesil FG. Epicardial adipose tissue should be evaluated with other inflammatory markers in patients with subclinical hypothyroidism. *Med Princ Pract.* 2013;22:603.
11. Kurkluoglu M, Balta S, Yesil FG, Demirkol S, Tavlasoglu M, Arslan Z. Carotid intima-media thickness: a novel inflammatory marker which should not be assessed alone! *Cardiology.* 2013;124(4):207.
12. Balta S, Demirkol S, Arslan Z, Sahin MA, Yesil FG, Kucuk U. The relation between decreased glomerular filtration rate and nonvalvular atrial fibrillation. *Cardiology.* 2013;124(4):219.
13. Balta S, Demirkol S, Yesil FG, Cakar M, Sarlak H, Celik T. Only ankle-brachial index may not be an accurate information about the prevalence of peripheral arterial disease. *Angiology.* 2013 Aug;64(6):481–2.
14. Balta S, Demirkol S, Celik T, Kucuk U, Kucuk HO, Yesil FG. Diastolic dysfunction in patients with peripheral arterial disease: a frequent association. *Angiology.* 2013 Oct;64(7):544–5.
15. Balta S, Demirkol S, Cakar M, Yesil FG, Unlu M, Kucuk U. The importance of histopathological findings in saphenous vein grafts. *Cardiology.* 2013;124(3):182.
16. Guler A, Tavlasoglu M, Arslan Z, Yesil FG. Brachial artery aneurysm accompanying a homozygous methylenetetrahydrofolate reductase mutation. *Interact Cardiovasc Thorac Surg.* 2013 Jun;16(6):912–3.
17. Kurkluoglu M, Balta S, Yesil FG, Demirkol S, Tavlasoglu M, Unlu M. Diastolic blood pressure may be related to the degree of coronary collateral circulation. *Angiology.* 2013 Oct;64(7):553.
18. Kurkluoglu M, Arslan Z, Balta S, Yesil FG, Tavlasoglu M, Demirkol S. Further studies should compare the different tidal volumes with adjusted PEEP levels at the same time of anesthesia. *Minerva Anestesiol.* 2013 Jun;79(6):695.
19. Demirkol S, Gurkan Yesil F, Bozlar U, Balta S, Sahin MA, Guler A. Multimodality imaging of a congenital Gerbode defect. *Kardiol Pol.* 2013;71(1):104.
20. Demirkol S, Yesil FG, Bozlar U, Unlu M, Balta S, Sahin MA. Multimodality imaging of a right atrial thrombus obliterating inferior vena cava. *Echocardiography.* 2013 May;30(5):E145–7.
21. Yesil FG, Tavlasoglu M, Güler A. eComment. How important is feedback in surgical simulation models? *Interact Cardiovasc Thorac Surg.* 2013 Feb;16(2):101–2.

22. Kul M, Demirkaya E, Ipçioğlu OM, Karadeniz RS, Tunç T, Vurucu S, et al. Perinatal risk factors affecting the maternal and fetal asymmetric dimethylarginine levels. Turk J Pediatr. 51(2):141–5.

Hekimimizin arşştırma ve yayınları için linki tıklayınız.

İrtibat Telefonu: 0 312 292 99 00